## Drug Abuse Screening Test 10 (DAST-10)

Please tick ( < ) one box for each question

		Total Score	
Q10	Have you had medical problems as a result of your drug use (e.g., memory loss, hepatitis, convulsions, bleeding, etc.)?	Yes 🗌 1	No 🗌 0
Q9	Have you ever experienced withdrawal symptoms (felt sick) when you stopped taking drugs?	Yes 🗌 1	No 🗌 0
Q8	Have you engaged in illegal activities in order to obtain drugs?	Yes 🗌 1	No 🗌 0
Q7	Have you neglected your family because of your use of drugs?	Yes 🗌 1	No 🗌 0
Q6	Does your spouse (or parents) ever complain about your involvement with drugs?	Yes 🗌 1	No 🗌 0
Q5	Do you ever feel bad or guilty about your drug use?	Yes 🗌 1	No 🗌 0
Q4	Have you had "blackouts" or "flashbacks" as a result of drug use?	Yes 🗌 1	No 🗌 0
Q3	Are you always able to stop using drugs when you want to?	Yes 🗌 0	No 🗌 1
Q2	Do you use more than one drug at a time?	Yes 🗌 1	No 🗌 0
Q1	Have you used drugs other than those required for medical reasons?	Yes 🗌 1	No 🗌 0

**Scoring and interpretation:** The DAST-10 comprises ten questions. All ten questions are each scored 'yes' or 'no'. Score 1 point for each question answered "Yes," except for question 3 for which a "No" receives 1 point. A total score is calculated by summing the points obtained for each DAST-10 question. The minimum total score possible is 0, and the maximum total score possible is 10 (i.e. total score range: 0-10).

Score	Interpretation		
0	No problems		
1-2	Low level of problems		
3-5	Likely to meet DSM criteria		
6-8	'Substantial' dependence		
9-10	'Severe' dependence		

## **DAST-10** score interpretation

Tool citation: Skinner, H.A. The Drug Abuse Screening Test. Addictive Behaviors, 1982. 7(4): 363-371.

**Further information**: Fischer, J.A., Roche, A.M., and Duraisingam, V. *Drug Abuse Screening Test 10* (*DAST-10*): *description, strengths and knowledge gaps*. 2021, National Centre for Education and Training on Addiction (NCETA), Flinders University: Adelaide, South Australia.

